

Acczent Compact



COMPACT RESILIENT FLOORCOVERING

VINYL



- > 0.8 mm pure PVC transparent wear layer
- > Glass fibre non-woven reinforcement: unique dimensional stability
- > New generation PUR-Reinforcement: TOPCLEAN XP
- > Extreme resistance to scratches and abrasion
- > Excellent resistance to scuffing, soiling and staining
- > Easy, low-cost maintenance: NO WAX, NO POLISH – FOR LIFE!



> Acczent Compact

A wealth of colour and tone inspired by natural materials and contemporary designs. Explore the latest Tarkett compact heterogeneous vinyl collection.

The Acczent collection will blend in anywhere. Or provide as much contrast as you like. Introduce linear designs to set off features, separate zones and create subtle contrasts.

From fine-grained, white woods to rich exotic species, **Acczent Wood** brings you the widest range of wood finishes in its category, while the rich hues and tones of **Acczent Esquisse** give you more colours than ever to choose from.

If you are looking for a more postmodern style, check out the strikingly contemporary effect of **Acczent Concrete** and **Steel**. Or **Acczent Special**, which gives you access to a brand-new spectrum of more than 100 colours from the Tarkett Tapiflex range.

Acczent Special

- Choose from more than one hundred colours
- Experiment to find the perfect match with the Tapiflex collections

See page 16 >



Tarkett Environmental Intelligence

We see our Intelligent Flooring Solutions as part of the world's ecological system – and make strong efforts to ensure that all our activities are based on respect for the environment. All our flooring products are developed, produced and handled with a great concern for sustainability and the environment. We call it Environmental Intelligence, and live by this principle in every single step, from vision to final disposal.



Environmental Intelligence in our vinyl flooring

Tarkett introduced the first vinyl flooring more than 60 years ago, and we have always focused on environmental sustainability.

- 100% recyclable
- Low energy consumption
- Easy and lowest cost ever maintenance
- Low emissions
- Long life cycle avoiding short-term replacement and minimising old installation waste

Acczent Compact contains 31% recycled material.

timeless

REALISTIC
VERSATILE



Accent Wood



Accent Esquisse

elegant

BRIGHT
SOOTHING

essentials

EXCLUSIVE
STRIKING



Accent Steel



Accent Concrete

> Acczent Compact

For heavy-duty applications

Smart is beautiful

Like all Tarkett floorcoverings, the Acczent collection is more than a floorcovering for heavy traffic areas. It is an intelligent solution, with all the services, savings and style you are looking for to inspire creative thinking.

Make space to move through, and relax in.


Acczent Compact will suit any environment where people are constantly coming and going. From health and education to leisure and commerce, this dazzling collection of compact vinyl flooring is tough enough to take a lifetime of use and still look new and attractive without heavy maintenance: no wax, no polish – for life!

> Technical features

Tough construction

A tear-resistant solid calendered sheet, with glass fibre non-woven reinforcement, supplies the foundation for its strength. On top of this is an exceptionally hardwearing, transparent PVC wear layer that is highly resistant to abrasion.

Product construction



- 1** TopClean XP PUR-reinforcement: very high resistance and easy maintenance.
- 2** 0.8 mm pure PVC transparent wear layer: exceptional resistance to abrasion and indentation.
- 3** Glass fibre non-woven reinforcement: excellent dimensional stability.
- 4** Solid homogeneous calendered sheet: optimum resistance to tearing.

TopClean XP:

a new generation of surface treatment

Tarkett features a new generation of more resistant surface reinforcement, TOPCLEAN XP, which makes Acczent Compact much easier to clean without ever needing polish or wax.

TOPCLEAN XP is a photo-reticulated polyurethane coating, reinforced with alumina oxide. It prevents scratching and abrasion, reduces soiling, removes the need for stripping and polishing and reinforces the floorcovering's resistance to staining by markers, iodine, rubber and shoe soles.




You can be sure that Acczent Compact will continue to satisfy you throughout a long service life.



Surface toughness second only to diamonds

Thanks to the permanent molecular cross-linking of the polyurethane formulation, the TOPCLEAN XP-treated surface is extremely resistant. On the Mohs scale of hardness, only diamonds are tougher.



The Mohs scale of hardness characterises the scratch resistance of various materials through the ability of a harder material to scratch a softer material.

TOPCLEAN XP benefits:

- New-generation PUR reinforcement: TOPCLEAN XP PUR.
- Extreme resistance to scratches and abrasion.
- Excellent resistance to scuffing, soiling and staining.
- Easy, low-cost maintenance: NO WAX, NO POLISH FOR LIFE!
- More than 30% saving on maintenance.
- More than 50% saving on water, detergent and energy.
- Excellent life cycle cost.

TOPCLEAN XP features:

- Alumina oxide micro particles ⇨ surface twice as strong as traditional PUR for better resistance to scratches and abrasion (see Mohs scale).
- Stain-blocking agents ⇨ excellent resistance to stains (marker, iodine and chemicals).
- Hydrophobic agents ⇨ stops dirt adhering and allows faster drying ⇨ easier cleaning.

> Acczent Wood


Traditional or modern? The choice is yours!

From pale, coolly subtle woods to warmer, richer-grained distressed finishes, Acczent's highly resistant Wood selection gives the real look and feel of wood in high-definition print.





3763 016



3763 017



3763 018

Washed Oak



3763 025



3763 026



3763 027

Brushed Oak

timeless

REALISTIC
VERSATILE

> Acczent Wood



3765 005

Bamboo




3763 022

Merbau



3763 012

Rose Wood




3763 023

Ship Deck



3763 021

Ipe



3763 011

Cabreuva



3763 024

Wenge



3763 020

Doussie

> Acczent Wood

« **ACCZENT WOOD**
*sets the stage with its stylish
design effects.* »



3763 001

Oak



3763 005

Maple



3763 007

American Oak



3763 002

3763 003

Beech

> Acczent Esquise

Combining natural and contemporary tones, Esquise is an inspiration for any sector. Its soft deep shades are designed to give any corner a pleasant touch of colour.



« **ACCZENT ESQUISSE**
blends warm ochre, turquoise
and sand, natural style. »



elegant

BRIGHT
SOOTHING



3751 015



3751 002



3751 007



3751 014



3751 004



3751 009



3751 013



3751 005



3751 010




3751 011

> Acczent Steel & Concrete

A great foundation to work on

Inspired by postmodern minimalist architecture, Acczent Concrete lets you create wide open spaces, delineate specific areas or pick out features in progressive shades of smooth, solid grey.



Concrete




Steel





3765 001



3765 002



3765 003

Concrete



3764 001

Steel

essentials

CONTEMPORARY
PURE

> Acczent Special

Even greater design and colour possibilities

For special orders of 1000m² and more, choose your own design from the vast palette of the Tapiflex collection. These fun colours and versatile designs make Acczent Special the perfect match for Tarkett's acoustic vinyl floorings.


This well-balanced colour collection is already very popular and offers sensational design opportunities, whether contemporary or timeless, to create the precise interior decoration ambiance you want.

For more details please contact your Tarkett sales representative.

- Choose from more than one hundred colours
- Experiment to find the perfect match with the Tapiflex collections




● Dolomite



● Saphyr




● Havane



● Esquisse


- Also available in the Tapiflex 163/164 collection
- Also available in the Tapiflex 243/244 collection
- Also available in the Tapiflex Optic collection




● Corail



● Uni



● Matrix



● Salsa



● Vision

> Acczent compact

Range overview


You can mix and match all 33 choices

Try the combined effect of subdued wood and colour. Marry the dark and exotic warmth of Acczent Wood with steel or stone grey. Introduce a splash of vivid colour to grab attention.


Acczent Wood



Acczent Esquisse





Acczent Concrete



Acczent Steel





Accent Compact

DESCRIPTION

Printed compact flexible vinyl floorcovering. Glass fibre reinforced. New TOPCLEAN XP Polyurethane reinforcement on surface and built-in Sanitized^(R) treatment. In sheet form.

Product standard: EN 649.

Technical data	Standards	Accent Compact
Classification	EN 685 commercial industrial	Classes: 34 43
Total thickness	EN 428	2.00 mm
Wear layer thickness	EN 429	0.80 mm
Total weight	EN 430	3 100 g/m ²
TOPCLEAN XP PUR reinforcement		Yes
Abrasion group	EN 660-1	Group T: < 0.04 mm
Static indentation	EN 433	< 0.05 mm
Furniture leg	EN 424	No damage
Castor chair	EN 425	No damage
Dimensional stability	EN 434	Length + width < 0.10%
Curl resultant to heat	EN 434	< 8 mm
Reaction to fire	EN 13501-1 ASTM E648	B _f s1 glued over any A2 _f or A1 _f substrate (concrete) and over any derivative wood substrate Category 1
Slip resistance	DIN 51130 EN 13893	R9 > 0.3
Electrical properties	EN 1815 EN 1081	< 2 kV on concrete R ₁ > 10 ¹⁰ ohms
Impact sound reduction	EN ISO 140-8 EN ISO 717/2	ΔL _w = 4 dB
Reduction of in room impact noise	NF S 31-074	L _{n,e,w} = 77 dB
Light fastness	EN ISO 105-B02	> 6
Chemical resistance	EN 423	High resistance
Resistance to bacteria	NF EN ISO 846	Sanitized ^(R) Grade 1 High fungi effect
Thermal resistance Underfloor heating	EN 12524	0.03 m ² K/W Suitable
Colours		Wood: 19 - Steel: 1 - Concrete: 3 - Esquisse: 10
Form of delivery	EN 426	Rolls: 23 lm x 2 m

Art. codes	NCS numbers	Welding rods
Accent Wood		
3763 001	S3030-Y20R	1292 201
3763 002	S2020-Y30R	1294 316
3763 003	S3030-Y30R	1291 205
3763 005	S2010-Y30R	1291 342
3763 007	S5030-Y30R	1291 451
3763 011	S5030-Y30R	1292 207
3763 012	S6030-Y50R	1287 107
3763 016	S2000-N	1288 388
3763 017	S2005-Y50R	1287 341
3763 018	S2010-Y30R	1287 005
3763 020	S4030-Y30R	1287 050
3763 021	S4040-Y30R	1287 342
3763 022	S5040-Y50R	1287 343
3763 023	S6030-Y60R	1287 328
3763 024	S7010-Y50R	1287 344
3763 025	S7010-Y70R	1287 345
3763 026	S6010-Y10R	1287 308
3763 027	S3020-Y20R	1287 240
3765 005	S2030-Y20R	1287 153
Accent Esquisse		
3751 002	S4030-B30G	1287 165
3751 004	S3020-R90B	1294 485
3751 005	S3010-R50B	1287 166
3751 007	S4040-R	1291 808
3751 009	S2050-Y30R	1287 014
3751 010	S2040-Y20R	1292 017
3751 011	S2020-Y20R	1294 852
3751 013	S3502-Y	1294 071
3751 014	S6000-N	1294 727
3751 015	S7000-N	1287 167
Accent Steel		
3764 001	S5502-B	1291 542
Accent Concrete		
3765 001	S2500-N	1291 215
3765 002	S2005-Y20R	1287 178
3765 003	S4005-Y20R	1291 839

The above information is subject to modification for the benefit of further improvement (10/07).

For more detailed technical information, please contact Tarkett.

Follow Tarkett's installation and maintenance instructions carefully. These instructions are available upon request.

INTELLIGENT FLOORING SOLUTIONS



SYSTEM

Providing not just a product, but a complete functional solution designed to fully meet customer needs.

SERVICE

Supporting customers from first consultation to product installation, and throughout its service life.

SAVINGS

Finding materials, construction and solutions that minimise maintenance requirements, and achieve best life cycle costs.

STYLE & DESIGN

Contributing to atmosphere, state of mind and emotion, to efficiency and sense of well-being.

SUSTAINABILITY & ENVIRONMENT

Taking the lead in promoting measures to help preserve a sustainable environment.

The Tarkett Group

- Sales Offices
- Production Sites
- Recycling units



TARKETT SALES COMPANIES

www.tarkett-commercial.com

> **Australia:** Tarkett Australia Pty Ltd – Tel. +61 2 96 34 73 73 > **Austria:** Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 > **Baltic States:** Tarkett SAS – Tel. +370 37 262 220 > **Belgium:** S.A. Tarkett NV – Tel. +32 2 520 04 67 > **China:** Tarkett Asia Pacific Limited Shanghai Representative Office – Tel. +86 (21) 60 95 68 38 > **Czech Republic:** Tarkett SAS, org. slozka – Tel. +420-271 001 602 > **Denmark:** Tarkett A/S – Tel. +45 43 90 60 11 > **Finland:** Tarkett Oy – Tel. +358 9 5406 5870 > **France:** Tarkett SAS – Tel. +33 1 41 20 42 49 > **Germany:** Tarkett Holding GmbH, Bereich Objekt – Tel. +49 6233 810 > **Greece:** Tarkett Monoprosopi Ltd – Tel. +30 2 10 576 3889 > **Hong Kong:** Tarkett Asia Pacific Ltd. – Tel. +852 2511 8716 > **Hungary:** Tarkett SAS – Tel. +36 1 437-8150 > **Italy:** Tarkett S.p.A. – Tel. +39 02 893 411 > **Luxembourg:** Tel. +352 949 211 8804 > **Middle East:** Tarkett Middle East – Tel. +961 1 75 2363/4 > **Netherlands:** Tarkett Benelux B.V. – Tel. +31 76 57 80 760 > **Norway:** Tarkett AS – Tel. +47 32 20 92 00 > **Poland:** Tarkett Wykładowy Sp. z o.o. – Tel. +48 22 639 31 66 > **Portugal:** Tarkett SA – Tel. +351 21 427 64 20 > **Russian Federation:** Tarkett Russia – Tel. +7 4 95 777 69 83 > **Slovakia:** Tarkett SAS – Tel. +421 37 6515 404 > **Singapore:** Tarkett Far East – Tel. +65 67 43 53 84 > **South East Europe:** Tarkett Trade d.o.o. – Tel. +381 21 7557 649 • (44) 569 12 21 > **Spain:** Tarkett Floors S.L. – Tel. +34 91 358 00 35 > **Sweden:** Tarkett Sverige AB – Tel. +46 771 25 19 00 > **Switzerland:** Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 > **Ukraine:** Tarkett UA – Tel. +380380 (44) 569 12 21 > **United Kingdom:** Tarkett-Marley Floors Limited – Tel. +44 (0) 1622 854 040 > **North America:** Johnsonite – Tel. +1 440 543 8916 > **Tarkett Inc. USA:** Tel. +1 713 869 5811 > **Tarkett International:** Tel. +49 6233 811 755 – Tel. +33 1 41 20 41 01